

| easy - easy shift |

2018 MODEL ENHANCEMENTS

CARBON FIBRE COVER DESIGN
BRUSHED STAINLESS STEEL END PANELS
REDESIGNED LINEAR GUIDE
MORE DURABLE POWER SUPPLY
NEW END POSITION SHOCK ABSORBERS




| CARBON DESIGN COVERS |

5 year parts guarantee

more information on our website: www.lamidesk.cz

BRUSHED STAINLESS STEEL
END PANELS



It simply looks better ...

NEW END POSITION HYDRAULIC SHOCK ABSORBERS

They optimize machine performance in a reliable and effective manner by decelerating the roller at the table ends quickly and without recoil.

4x



this is

ACE

| MORE EFFICIENT POWER SUPPLY |

Built-in active PFC and fan speed control
Full corrosion resistant aluminium chassis
Conforms to harmonic current IEC/EN 61000-3-2, Class A and Class D
Cold start -20°C at 100% load
Nominal Input Voltage 85-264Vac, 47-63Hz
Mean time between failures: > 700,000 hrs. as per Telcordia SR-332
I/P: 100Vac, O/P: 100% load, Ta: 35°C



| REDESIGNED LINEAR GUIDE |

double bearings increase machine durability and prolong life...

